



Katalog

Abstandsbolzen



Abstandsbolzen, Messing vernickelt, Innen/Aussen




Artikel Nr.	Gewinde M	SW	L	B	C	VE
1402005	2	4	5	5	2,5	500
1402006	2	4	6	5	3	500
1402008	2	4	8	5	5	500
1402009	2	4	9	5	5	500
1402010	2	4	10	5	5	500
1402012	2	4	12	5	6	500
1402013	2	4	13	5	6	500
1402015	2	4	15	5	6	500
1402018	2	4	18	5	6	500
1402020	2	4	20	5	6	500
1402025	2	4	25	5	6	500
1402030	2	4	30	5	6	500
1402035	2	4	35	5	6	500
1402505	2,5	4	5	6	2,5	500
1402506	2,5	4	6	6	3	500
1402507	2,5	4	7	6	4	500
1402508	2,5	4	8	6	5	500
1402509	2,5	4	9	6	6	500
1402510	2,5	4	10	6	6	500
1402511	2,5	4	11	6	6	500
1402512	2,5	4	12	6	6	500
1402513	2,5	4	13	6	6	500
1402514	2,5	4	14	6	6	500
1402515	2,5	4	15	6	6	500
1402518	2,5	4	18	6	6	500
1402520	2,5	4	20	6	6	500
1402525	2,5	4	25	6	6	500
1402530	2,5	4	30	6	6	500
1402535	2,5	4	35	6	6	500
1402540	2,5	4	40	6	6	500

1502505	2,5	5	5	6	2,5	500
1502506	2,5	5	6	6	3	500
1502507	2,5	5	7	6	4	500
1502508	2,5	5	8	6	5	500
1502509	2,5	5	9	6	5	500
1502510	2,5	5	10	6	6	500
1502512	2,5	5	12	6	6	500
1502513	2,5	5	13	6	6	500
1502515	2,5	5	15	6	6	500
1502518	2,5	5	18	6	6	500
1502520	2,5	5	20	6	6	500
1502525	2,5	5	25	6	6	500
1502530	2,5	5	30	6	6	500
1502535	2,5	5	35	6	6	500
1502540	2,5	5	40	6	6	500
1503005	3	5	5	6	2,5	500
1503006	3	5	6	6	3	500
1503007	3	5	7	6	4	500
1503008	3	5	8	6	5	500
1503009	3	5	9	6	5	500
1503010	3	5	10	6	6	500
1503011	3	5	11	6	7	500
1503012	3	5	12	6	7	500
1503013	3	5	13	6	7	500
1503014	3	5	14	6	7	500
1503015	3	5	15	6	7	500
1503016	3	5	16	6	7	500
1503017	3	5	17	6	7	500
1503018	3	5	18	6	7	500
1503019	3	5	19	6	7	500
1503020	3	5	20	6	7	500
1503022	3	5	22	6	7	500
1503025	3	5	25	6	7	500
1503028	3	5	28	6	7	500
1503030	3	5	30	6	7	500
1503035	3	5	35	6	7	500
1503036	3	5	36	6	7	500
1503040	3	5	40	6	7	500
1503045	3	5	45	6	7	500
1503050	3	5	50	6	7	500
1503055	3	5	55	6	7	500
1503060	3	5	60	6	7	500

1503005B8	3	5	5	8	2,5	500
1503006B8	3	5	6	8	3	500
1503007B8	3	5	7	8	4	500
1503008B8	3	5	8	8	5	500
1503009B8	3	5	9	8	6	500
1503010B8	3	5	10	8	7	500
1503011B8	3	5	11	8	8	500
1503012B8	3	5	12	8	9	500
1503013B8	3	5	13	8	10	500
1503014B8	3	5	14	8	10	500
1503015B8	3	5	15	8	10	500
1503016B8	3	5	16	8	10	500
1503017B8	3	5	17	8	10	500
1503018B8	3	5	18	8	10	500
1503019B8	3	5	19	8	10	500
1503020B8	3	5	20	8	10	500
1503022B8	3	5	22	8	10	500
1503025B8	3	5	25	8	10	500
1503028B8	3	5	28	8	10	500
1503030B8	3	5	30	8	10	500
1503035B8	3	5	35	8	10	500
1503040B8	3	5	40	8	10	500
1503045B8	3	5	45	8	10	500
1503050B8	3	5	50	8	10	500
1503055B8	3	5	55	8	10	500
1503060B8	3	5	60	8	10	500

Abstandsbolzen, Messing vernickelt, Innen/Aussen




Artikel Nr.	Gewinde M	SW	L	B	C	VE
1553005	3	5,5	5	6	2,5	500
1553006	3	5,5	6	6	4	500
1553007	3	5,5	7	6	4	500
1553008	3	5,5	8	6	5	500
1553009	3	5,5	9	6	5	500
1553010	3	5,5	10	6	7	500
1553011	3	5,5	11	6	7	500
1553012	3	5,5	12	6	7	500
1553013	3	5,5	13	6	7	500
1553014	3	5,5	14	6	7	500
1553015	3	5,5	15	6	7	500
1553016	3	5,5	16	6	7	500
1553017	3	5,5	17	6	7	500
1553018	3	5,5	18	6	7	500
1553020	3	5,5	20	6	7	500
1553022	3	5,5	22	6	7	500
1553025	3	5,5	25	6	7	500
1553028	3	5,5	28	6	7	500
1553030	3	5,5	30	6	7	500
1553035	3	5,5	35	6	7	500
1553040	3	5,5	40	6	7	500
1553045	3	5,5	45	6	7	500
1553050	3	5,5	50	6	7	500
1553055	3	5,5	55	6	7	500
1553060	3	5,5	60	6	7	500
1553005B8	3	5,5	5	8	2,5	500
1553006B8	3	5,5	6	8	3	500
1553007B8	3	5,5	7	8	4	500
1553008B8	3	5,5	8	8	5	500
1553009B8	3	5,5	9	8	6	500
1553010B8	3	5,5	10	8	7	500
1553011B8	3	5,5	11	8	8	500
1553012B8	3	5,5	12	8	9	500
1553013B8	3	5,5	13	8	10	500
1553014B8	3	5,5	14	8	10	500

1553015B8	3	5,5	15	8	10	500
1553016B8	3	5,5	16	8	10	500
1553017B8	3	5,5	17	8	10	500
1553018B8	3	5,5	18	8	10	500
1553020B8	3	5,5	20	8	10	500
1553022B8	3	5,5	22	8	10	500
1553025B8	3	5,5	25	8	10	500
1553028B8	3	5,5	28	8	10	500
1553030B8	3	5,5	30	8	10	500
1553035B8	3	5,5	35	8	10	500
1553040B8	3	5,5	40	8	10	500
1553045B8	3	5,5	45	8	10	500
1553050B8	3	5,5	50	8	10	500
1553055B8	3	5,5	55	8	10	500
1553060B8	3	5,5	60	8	10	500
1704005	4	7	5	8	3	500
1704006	4	7	6	8	4	500
1704007	4	7	7	8	4	500
1704008	4	7	8	8	5	500
1704009	4	7	9	8	6	500
1704010	4	7	10	8	6	500
1704011	4	7	11	8	7	500
1704012	4	7	12	8	8	500
1704013	4	7	13	8	9	500
1704014	4	7	14	8	9	500
1704015	4	7	15	8	9	500
1704016	4	7	16	8	9	500
1704017	4	7	17	8	9	500
1704018	4	7	18	8	9	500
1704020	4	7	20	8	9	500
1704022	4	7	22	8	9	500
1704025	4	7	25	8	9	500
1704030	4	7	30	8	9	500
1704035	4	7	35	8	9	500
1704040	4	7	40	8	9	500
1704045	4	7	45	8	9	500
1704050	4	7	50	8	9	200
1704055	4	7	55	8	9	200
1704060	4	7	60	8	9	200
1704070	4	7	70	8	9	200
1704080	4	7	80	8	9	200
1704090	4	7	90	8	9	200
1704100	4	7	100	8	9	200

1805010	5	8	10	10	6	500
1805012	5	8	12	10	8	500
1805015	5	8	15	10	11	500
1805018	5	8	18	10	11	500
1805020	5	8	20	10	11	500
1805025	5	8	25	10	11	500
1805030	5	8	30	10	11	500
1805035	5	8	35	10	11	500
1805040	5	8	40	10	11	500
1805045	5	8	45	10	11	200
1805050	5	8	50	10	11	200
1805055	5	8	55	10	11	200
1805060	5	8	60	10	11	200
1805070	5	8	70	10	11	200
1805080	5	8	80	10	11	200
1805100	5	8	100	10	11	100
1805110	5	8	110	10	11	100
1805120	5	8	120	10	11	100
1504465	UNC4/40	5	5	6	3,4	500
1504485	UNC4/40	5	5	8	3,4	500


Abstandsbolzen, Messing vernickelt, Innen/Innen



Artikel Nr.	Gewinde M	SW	L	C	VE
2402005	2	4	5	5	500
2402006	2	4	6	6	500
2402007	2	4	7	7	500
2402008	2	4	8	8	500
2402009	2	4	9	9	500
2402010	2	4	10	10	500
2402011	2	4	11	11	500
2402012	2	4	12	5	500
2402013	2	4	13	5	500
2402015	2	4	15	5	500
2402018	2	4	18	5	500
2402020	2	4	20	5	500
2402025	2	4	25	5	500
2402030	2	4	30	5	500
2402505	2,5	4	5	5	500
2402506	2,5	4	6	6	500
2402507	2,5	4	7	7	500
2402508	2,5	4	8	8	500
2402509	2,5	4	9	9	500
2402510	2,5	4	10	10	500
2402511	2,5	4	11	11	500
2402512	2,5	4	12	12	500
2402513	2,5	4	13	13	500
2402514	2,5	4	14	14	500
2402515	2,5	4	15	15	500
2402518	2,5	4	18	6	500
2402520	2,5	4	20	6	500
2402525	2,5	4	25	6	500
2402530	2,5	4	30	6	500
2402535	2,5	4	35	6	500
2402540	2,5	4	40	6	500

2502505	2,5	5	5	5	500
2502506	2,5	5	6	6	500
2502507	2,5	5	7	7	500
2502508	2,5	5	8	8	500
2502509	2,5	5	9	9	500
2502510	2,5	5	10	10	500
2502512	2,5	5	12	12	500
2502513	2,5	5	13	13	500
2502514	2,5	5	14	14	500
2502515	2,5	5	15	15	500
2502517	2,5	5	17	17	500
2502518	2,5	5	18	5	500
2502520	2,5	5	20	5	500
2502522	2,5	5	22	5	500
2502525	2,5	5	25	5	500
2502530	2,5	5	30	5	500
2502535	2,5	5	35	5	500
2502540	2,5	5	40	5	500


Abstandsbolzen, Messing vernickelt, Innen/Innen



Artikel Nr.	Gewinde M	SW	L	C	VE
2503005	3	5	5	5	500
2503006	3	5	6	6	500
2503007	3	5	7	7	500
2503008	3	5	8	8	500
2503009	3	5	9	9	500
2503010	3	5	10	10	500
2503011	3	5	11	11	500
2503012	3	5	12	12	500
2503013	3	5	13	13	500
2503014	3	5	14	14	500
2503015	3	5	15	15	500
2503016	3	5	16	16	500
2503017	3	5	17	17	500
2503018	3	5	18	18	500
2503020	3	5	20	20	500
2503025	3	5	25	7	500
2503028	3	5	28	7	500
2503030	3	5	30	7	500
2503035	3	5	35	7	500
2503036	3	5	36	7	500
2503040	3	5	40	7	500
2503045	3	5	45	7	500
2503050	3	5	50	7	500
2503055	3	5	55	7	500
2503060	3	5	60	7	500

2553005	3	5,5	5	5	500
2553006	3	5,5	6	6	500
2553007	3	5,5	7	7	500
2553008	3	5,5	8	8	500
2553009	3	5,5	9	9	500
2553010	3	5,5	10	10	500
2553011	3	5,5	11	11	500
2553012	3	5,5	12	12	500
2553013	3	5,5	13	13	500
2553014	3	5,5	14	14	500
2553015	3	5,5	15	15	500
2553016	3	5,5	16	16	500
2553017	3	5,5	17	17	500
2553018	3	5,5	18	18	500
2553019	3	5,5	19	19	500
2553020	3	5,5	20	20	500
2553021	3	5,5	21	7	500
2553022	3	5,5	22	7	500
2553025	3	5,5	25	7	500
2553028	3	5,5	28	7	500
2553030	3	5,5	30	7	500
2553035	3	5,5	35	7	500
2553040	3	5,5	40	7	500
2553045	3	5,5	45	7	500
2553050	3	5,5	50	7	500
2553055	3	5,5	55	7	500
2553060	3	5,5	60	7	200
2553070	3	5,5	70	7	200


Abstandsbolzen, Messing vernickelt, Innen/Innen



Artikel Nr.	Gewinde M	SW	L	C	VE
2704005	4	7	5	5	500
2704006	4	7	6	6	500
2704007	4	7	7	7	500
2704008	4	7	8	8	500
2704009	4	7	9	9	500
2704010	4	7	10	10	500
2704011	4	7	11	11	500
2704012	4	7	12	12	500
2704013	4	7	13	13	500
2704014	4	7	14	14	500
2704015	4	7	15	15	500
2704016	4	7	16	16	500
2704017	4	7	17	17	500
2704018	4	7	18	18	500
2704020	4	7	20	20	500
2704025	4	7	25	25	500
2704030	4	7	30	9	500
2704035	4	7	35	9	500
2704040	4	7	40	9	500
2704045	4	7	45	9	500
2704050	4	7	50	9	500
2704055	4	7	55	9	200
2704060	4	7	60	9	200
2704070	4	7	70	9	200
2704075	4	7	75	9	200
2704080	4	7	80	9	200
2704100	4	7	100	9	200


2805008	5	8	8	8	500
2805010	5	8	10	10	500
2805012	5	8	12	12	500
2805015	5	8	15	15	500
2805018	5	8	18	18	500
2805020	5	8	20	20	500
2805025	5	8	25	11	500
2805030	5	8	30	11	500
2805035	5	8	35	11	500
2805040	5	8	40	11	500
2805045	5	8	45	11	200
2805050	5	8	50	11	200
2805055	5	8	55	11	200
2805060	5	8	60	11	200
2805070	5	8	70	11	200
2805080	5	8	80	11	200
2805090	5	8	90	11	200
2805100	5	8	100	11	200
2504405	UNC 4/40	5	5	5	500
2504406	UNC 4/40	5	6	6	500
2504408	UNC 4/40	5	8	8	500
2504410	UNC 4/40	5	10	10	500
2504412	UNC 4/40	5	12	12	500
2504415	UNC 4/40	5	15	15	500

Abstandsrollen, Messing vernickelt




Artikel Nr.	Länge mm	außendurchmesser mm	Bohrung mm	VE
3603201	1	6	3,2	1000
3603202	2	6	3,2	1000
3603203	3	6	3,2	1000
3603204	4	6	3,2	1000
3603205	5	6	3,2	1000
3603206	6	6	3,2	1000
3603207	7	6	3,2	1000
3603208	8	6	3,2	1000
3063210	10	6	3,2	1000
3603211	11	6	3,2	1000
3603212	12	6	3,2	1000
3603213	13	6	3,2	1000
3603215	15	6	3,2	1000
3603216	16	6	3,2	1000
3603217	17	6	3,2	1000
3603220	20	6	3,2	1000
3603225	25	6	3,2	1000
3603230	30	6	3,2	1000
3804302	2	8	4,3	1000
3804303	3	8	4,3	1000
3804304	4	8	4,3	1000
3804305	5	8	4,3	1000
3804308	8	8	4,3	1000
3804310	10	8	4,3	1000
3804312	12	8	4,3	500
3804313	13	8	4,3	500
3804315	15	8	4,3	500
3804320	20	8	4,3	500
3804325	25	8	4,3	500
3804330	30	8	4,3	500

Abstandsbolzen, Stahl verzinkt, Innen/Aussen



Artikel Nr.	Gewinde M	SW	L	B	C	VE
4402005	2	4	5	5	2,5	500
4402006	2	4	6	5	3	500
4402008	2	4	8	5	5	500
4402010	2	4	10	5	6	500
4402012	2	4	12	5	6	500
4402014	2	4	14	5	6	500
4402015	2	4	15	5	6	500
4402018	2	4	18	5	6	500
4402020	2	4	20	5	6	500
4402025	2	4	25	5	6	500
4402030	2	4	30	5	6	500
4502505	2,5	5	5	6	2,5	500
4502506	2,5	5	6	6	3	500
4502507	2,5	5	7	6	4	500
4502508	2,5	5	8	6	5	500
4502510	2,5	5	10	6	7	500
4502512	2,5	5	12	6	7	500
4502514	2,5	5	14	6	7	500
4502515	2,5	5	15	6	7	500
4502516	2,5	5	16	6	7	500
4502518	2,5	5	18	6	7	500
4502520	2,5	5	20	6	7	500
4502525	2,5	5	25	6	7	500
4502530	2,5	5	30	6	7	500
4502535	2,5	5	35	6	7	500
4502540	2,5	5	40	6	7	500
4504465	UNC4/40	5	5	6	3,4	500
4504485	UNC4/40	5	5	8	3,4	500


Abstandsbolzen, Stahl verzinkt, Innen/Aussen



Artikel Nr.	Gewinde M	SW	L	B	C	VE
4553005	3	5,5	5	6	2,5	500
4553006	3	5,5	6	6	3	500
4553007	3	5,5	7	6	3,5	500
4553008	3	5,5	8	6	5	500
4553009	3	5,5	9	6	6	500
4553010	3	5,5	10	6	6	500
4553011	3	5,5	11	6	7	500
4553012	3	5,5	12	6	7	500
4553013	3	5,5	13	6	7	500
4553014	3	5,5	14	6	7	500
4553015	3	5,5	15	6	7	500
4553016	3	5,5	16	6	7	500
4553017	3	5,5	17	6	7	500
4553018	3	5,5	18	6	7	500
4553019	3	5,5	19	6	7	500
4553020	3	5,5	20	6	7	500
4553022	3	5,5	22	6	7	500
4553025	3	5,5	25	6	7	500
4553030	3	5,5	30	6	7	500
4553035	3	5,5	35	6	7	500
4553040	3	5,5	40	6	7	500
4553045	3	5,5	45	6	7	500
4553050	3	5,5	50	6	7	500
4553055	3	5,5	55	6	7	500
4553060	3	5,5	60	6	7	500
4553070	3	5,5	70	6	7	500
4553080	3	5,5	80	6	7	500
4603005	3	6	5	6	2,5	500
4603006	3	6	6	6	3	500
4603008	3	6	8	6	5	500
4603010	3	6	10	6	6	500
4603012	3	6	12	6	7	500
4603015	3	6	15	6	7	500
4603017	3	6	17	6	7	500
4603018	3	6	18	6	7	500

4603020	3	6	20	6	7	500
4603025	3	6	25	6	7	500
4603030	3	6	30	6	7	500
4603035	3	6	35	6	7	500
4603040	3	6	40	6	7	500
4603045	3	6	45	6	7	500
4603050	3	6	50	6	7	500
4704005	4	7	5	8	3	500
4704006	4	7	6	8	4	500
4704008	4	7	8	8	5	500
4704010	4	7	10	8	6	500
4704012	4	7	12	8	8	500
4704014	4	7	14	8	9	500
4704015	4	7	15	8	9	500
4704016	4	7	16	8	9	500
4704017	4	7	17	8	9	500
4704018	4	7	18	8	9	500
4704020	4	7	20	8	9	500
4704022	4	7	22	8	9	500
4704025	4	7	25	8	9	500
4704028	4	7	28	8	9	500
4704030	4	7	30	8	9	500
4704035	4	7	35	8	9	500
4704040	4	7	40	8	9	500
4704045	4	7	45	8	9	500
4704050	4	7	50	8	9	200
4704055	4	7	55	8	9	200
4704060	4	7	60	8	9	200
4704065	4	7	65	8	9	200
4704070	4	7	70	8	9	200
4704080	4	7	80	8	9	200
4704090	4	7	90	8	9	200
4704100	4	7	100	8	9	200
4704120	4	7	120	8	9	200

Abstandsbolzen, Stahl verzinkt, Innen/Aussen



Artikel Nr.	Gewinde M	SW	L	B	C	VE
4804008	4	8	8	8	5	500
4804010	4	8	10	8	6	500
4804012	4	8	12	8	8	500
4804014	4	8	14	8	9	500
4804015	4	8	15	8	9	500
4804016	4	8	16	8	9	500
4804017	4	8	17	8	9	500
4804018	4	8	18	8	9	500
4804020	4	8	20	8	9	500
4804022	4	8	22	8	9	500
4804024	4	8	24	8	9	500
4804025	4	8	25	8	9	500
4804027	4	8	27	8	9	500
4804030	4	8	30	8	9	500
4804035	4	8	35	8	9	500
4804040	4	8	40	8	9	200
4804045	4	8	45	8	9	200
4804050	4	8	50	8	9	200
4804055	4	8	55	8	9	200
4804060	4	8	60	8	9	200
4804070	4	8	70	8	9	200
4804080	4	8	80	8	9	200
4804100	4	8	100	8	9	200
4804110	4	8	110	8	9	200
4805008	5	8	8	10	4	500
4805010	5	8	10	10	6	500
4805012	5	8	12	10	8	500
4805014	5	8	14	10	10	500
4805015	5	8	15	10	11	500
4805016	5	8	16	10	11	500
4805018	5	8	18	10	11	500
4805020	5	8	20	10	11	500


4805022	5	8	22	10	11	500
4805025	5	8	25	10	11	500
4805030	5	8	30	10	11	500
4805035	5	8	35	10	11	500
4805040	5	8	40	10	11	200
4805045	5	8	45	10	11	200
4805050	5	8	50	10	11	200
4805055	5	8	55	10	11	200
4805060	5	8	60	10	11	200
4805065	5	8	65	10	11	200
4805070	5	8	70	10	11	200
4805075	5	8	75	10	11	200
4805080	5	8	80	10	11	200
4805090	5	8	90	10	11	200
4805100	5	8	100	10	11	100
4805110	5	8	110	10	11	100
4805120	5	8	120	10	11	100

4105015	5	10	15	10	11	200
4105018	5	10	18	10	11	200
4105020	5	10	20	10	11	200
4105025	5	10	25	10	11	200
4105030	5	10	30	10	11	200
4105035	5	10	35	10	11	200
4105040	5	10	40	10	11	200
4105045	5	10	45	10	11	200
4105050	5	10	50	10	11	200
4105060	5	10	60	10	11	200
4105070	5	10	70	10	11	100
4105080	5	10	80	10	11	100
4105090	5	10	90	10	11	100
4105100	5	10	100	10	11	100
4105110	5	10	110	10	11	100
4105120	5	10	120	10	11	100

4106010	6	10	10	12	6	500
4106012	6	10	12	12	8	500
4106014	6	10	14	12	10	500
4106015	6	10	15	12	11	500
4106016	6	10	16	12	14	500
4106018	6	10	18	12	14	500
4106020	6	10	20	12	14	200
4106025	6	10	25	12	14	200
4106030	6	10	30	12	14	200
4106035	6	10	35	12	14	200
4106040	6	10	40	12	14	200
4106045	6	10	45	12	14	200
4106050	6	10	50	12	14	200
4106055	6	10	55	12	14	200
4106060	6	10	60	12	14	200
4106065	6	10	65	12	14	200
4106070	6	10	70	12	14	100
4106080	6	10	80	12	14	100
4106090	6	10	90	12	14	100
4106100	6	10	100	12	14	100
4106110	6	10	110	12	14	100
4106120	6	10	120	12	14	100


4138015	8	13	15	14	10	100
4138020	8	13	20	14	15	100
4138025	8	13	25	14	16	100
4138030	8	13	30	14	16	100
4138035	8	13	35	14	16	100
4138040	8	13	40	14	16	100
4138045	8	13	45	14	16	100
4138050	8	13	50	14	16	100
4138060	8	13	60	14	16	100
4138070	8	13	70	14	16	100
4138080	8	13	80	14	16	100
4138090	8	13	90	14	16	100
4138100	8	13	100	14	16	50
4138120	8	13	120	14	16	50

Abstandsbolzen, Stahl verzinkt, Innen/Innen



Artikel Nr.	Gewinde M	SW	L	C	VE
5402005	2	4	5	5	500
5402006	2	4	6	6	500
5402008	2	4	8	8	500
5402010	2	4	10	10	500
5402012	2	4	12	5	500
5402014	2	4	14	5	500
5402015	2	4	15	5	500
5402018	2	4	18	5	500
5402020	2	4	20	5	500
5402025	2	4	25	5	500
5402030	2	4	30	5	500
5502505	2,5	5	5	5	500
5502506	2,5	5	6	6	500
5502507	2,5	5	7	7	500
5502508	2,5	5	8	8	500
5502510	2,5	5	10	10	500
5502512	2,5	5	12	12	500
5502514	2,5	5	14	14	500
5502515	2,5	5	15	15	500
5502518	2,5	5	18	6	500
5502520	2,5	5	20	6	500
5502525	2,5	5	25	6	500
5502530	2,5	5	30	6	500
5502535	2,5	5	35	6	500
5502540	2,5	5	40	6	500
5504405	UNC4/40	5	5	5	500
5504406	UNC4/40	5	6	6	500
5504408	UNC4/40	5	8	8	500
5504410	UNC4/40	5	10	10	500


Abstandsbolzen, Stahl verzinkt, Innen/Innen



Artikel Nr.	Gewinde M	SW	L	C	VE
5553005	3	5,5	5	5	500
5553006	3	5,5	6	6	500
5553007	3	5,5	7	7	500
5553008	3	5,5	8	8	500
5553009	3	5,5	9	9	500
5553010	3	5,5	10	10	500
5553011	3	5,5	11	11	500
5553012	3	5,5	12	12	500
5553013	3	5,5	13	13	500
5553014	3	5,5	14	14	500
5553015	3	5,5	15	15	500
5553016	3	5,5	16	16	500
5553017	3	5,5	17	17	500
5553018	3	5,5	18	18	500
5553019	3	5,5	19	19	500
5553020	3	5,5	20	20	500
5553025	3	5,5	25	7	500
5553030	3	5,5	30	7	500
5553035	3	5,5	35	7	500
5553040	3	5,5	40	7	500
5553045	3	5,5	45	7	500
5553050	3	5,5	50	7	500
5553055	5	5,5	55	7	500
5553060	3	5,5	60	7	500
5553070	3	5,5	70	7	500
5603005	3	6	5	5	500
5603006	3	6	6	6	500
5603007	3	6	7	7	500
5603008	3	6	8	8	500
5603009	3	6	9	9	500
5603010	3	6	10	10	500
5603011	3	6	11	11	500
5603012	3	6	12	12	500
5603013	3	6	13	13	500
5603014	3	6	14	14	500
5603015	3	6	15	15	500
5603016	3	6	16	16	500
5603017	3	6	17	17	500
5603018	3	6	18	18	500
5603020	3	6	20	20	500

5603022	3	6	22	7	500
5603025	3	6	25	7	500
5603027	3	6	27	7	500
5603028	3	6	28	7	500
5603030	3	6	30	7	500
5603035	3	6	35	7	500
5603037	3	6	37	7	500
5603038	3	6	38	7	500
5603040	3	6	40	7	500
5603042	3	6	42	7	500
5603045	3	6	45	7	500
5603050	3	6	50	7	500
5603055	3	6	55	7	500
5603060	3	6	60	7	500


Abstandsbolzen, Stahl verzinkt, Innen/Innen



Artikel Nr.	Gewinde M	SW	L	C	VE
5704005	4	7	5	5	500
5704006	4	7	6	6	500
5704008	4	7	8	8	500
5704010	4	7	10	10	500
5704012	4	7	12	12	500
5704013	4	7	13	13	500
5704014	4	7	14	14	500
5704015	4	7	15	15	500
5704016	4	7	16	16	500
5704018	4	7	18	18	500
5704020	4	7	20	20	500
5704025	4	7	25	9	500
5704030	4	7	30	9	500
5704035	4	7	35	9	500
5704040	4	7	40	9	500
5704045	4	7	45	9	500
5704050	4	7	50	9	500
5704055	4	7	55	9	200
5704060	4	7	60	9	200
5704070	4	7	70	9	200
5704080	4	7	80	9	200
5704100	4	7	100	9	200
5804008	4	8	8	8	500
5804010	4	8	10	10	500
5804012	4	8	12	12	500
5804015	4	8	15	15	500
5804017	4	8	17	17	500
5804018	4	8	18	18	500
5804020	4	8	20	20	500
5804022	4	8	22	9	500
5804023	4	8	23	9	500
5804025	4	8	25	9	500
5804027	4	8	27	9	500
5804030	4	8	30	9	500
5804032	4	8	32	9	500
5804035	4	8	35	9	500
5804040	4	8	40	9	500

5804045	4	8	45	9	200
5804050	4	8	50	9	200
5804055	4	8	55	9	200
5804060	4	8	60	9	200
5804070	4	8	70	9	200
5804080	4	8	80	9	200
5804100	4	8	100	9	200


Abstandsbolzen, Stahl verzinkt, Innen/Innen



Artikel Nr.	Gewinde M	SW	L	C	VE
5805008	5	8	8	8	500
5805010	5	8	10	10	500
5805012	5	8	12	12	500
5805013	5	8	13	13	500
5805014	5	8	14	14	500
5805015	5	8	15	15	500
5805016	5	8	16	16	500
5805017	5	8	17	17	500
5805018	5	8	18	18	500
5805020	5	8	20	20	500
5805022	5	8	22	11	500
5805025	5	8	25	11	500
5805028	5	8	28	11	500
5805030	5	8	30	11	500
5805035	5	8	35	11	500
5805040	5	8	40	11	500
5805045	5	8	45	11	200
5805050	5	8	50	11	200
5805055	5	8	55	11	200
5805060	5	8	60	11	200
5805070	5	8	70	11	200
5805080	5	8	80	11	200
5805090	5	8	90	11	200
5805100	5	8	100	11	200
5105010	5	10	10	10	500
5105012	5	10	12	12	500
5105015	5	10	15	15	500
5105018	5	10	18	18	500
5105020	5	10	20	20	500
5105022	5	10	22	11	500
5105025	5	10	25	11	200
5105030	5	10	30	11	200
5105035	5	10	35	11	200
5105040	5	10	40	11	200
5105045	5	10	45	11	200
5105050	5	10	50	11	200
5105060	5	10	60	11	200

5106008	6	10	8	8	500
5106010	6	10	10	10	500
5106012	6	10	12	12	500
5106014	6	10	14	14	500
5106015	6	10	15	15	500
5106016	6	10	16	16	500
5106018	6	10	18	18	500
5106020	6	10	20	20	500
5106025	6	10	25	25	200
5106030	6	10	30	30	200
5106035	6	10	35	14	200
5106040	6	10	40	14	200
5106045	6	10	45	14	200
5106050	6	10	50	14	200
5106055	6	10	55	14	200
5106060	6	10	60	14	200
5106065	6	10	65	14	200
5106070	6	10	70	14	100
5106080	6	10	80	14	100
5106090	6	10	90	14	100
5106100	6	10	100	14	100
5106120	6	10	120	14	100
5138015	8	13	15	15	100
5138020	8	13	20	20	100
5138025	8	13	25	25	100
5138030	8	13	30	30	100
5138035	8	13	35	35	100
5138040	8	13	40	16	100
5138045	8	13	45	16	100
5138050	8	13	50	16	100
5138060	8	13	60	16	100
5138070	8	13	70	16	100
5138080	8	13	80	16	100
5138090	8	13	90	16	100
5138100	8	13	100	16	50
5138120	8	13	120	16	50


Abstandsbolzen, Innen/Aussen, Werkstoff 1.4305



Artikel Nr.	Gewinde M	SW	L	B	C	VE
6502505	2,5	5	5	6	2,5	200
6502507	2,5	5	7	6	4	200
6502508	2,5	5	8	6	5	200
6502510	2,5	5	10	6	7	200
6502512	2,5	5	12	6	7	200
6502515	2,5	5	15	6	7	200
6502518	2,5	5	18	6	7	200
6502520	2,5	5	20	6	7	200
6502525	2,5	5	25	6	7	200
6502530	2,5	5	30	6	7	200
6553005	3	5,5	5	6	2,5	200
6553006	3	5,5	6	6	3	200
6553008	3	5,5	8	6	5	200
6553010	3	5,5	10	6	6	200
6553011	3	5,5	11	6	7	200
6553012	3	5,5	12	6	7	200
6553014	3	5,5	14	6	7	200
6553015	3	5,5	15	6	7	200
6553016	3	5,5	16	6	7	200
6553018	3	5,5	18	6	7	200
6553020	3	5,5	20	6	7	200
6553022	3	5,5	22	6	7	200
6553025	3	5,5	25	6	7	200
6553030	3	5,5	30	6	7	200
6553035	3	5,5	35	6	7	200
6553040	3	5,5	40	6	7	200
6553050	3	5,5	50	6	7	200
6553060	3	5,5	60	6	7	200

6704008	4	7	8	8	5	200
6704010	4	7	10	8	6	200
6704012	4	7	12	8	8	200
6704015	4	7	15	8	9	200
6704018	4	7	18	8	9	200
6704020	4	7	20	8	9	200
6704025	4	7	25	8	9	200
6704030	4	7	30	8	9	200
6704035	4	7	35	8	9	200
6704040	4	7	40	8	9	200
6704045	4	7	45	8	9	200
6704050	4	7	50	8	9	200
6704060	4	7	60	8	9	200
6704065	4	7	65	8	9	200
6704070	4	7	70	8	9	200
6805010	5	8	10	10	6	200
6805012	5	8	12	10	8	200
6805015	5	8	15	10	11	200
6805018	5	8	18	10	11	200
6805020	5	8	20	10	11	200
6805025	5	8	25	10	11	200
6805030	5	8	30	10	11	200
6805035	5	8	35	10	11	200
6805040	5	8	40	10	11	200
6805050	5	8	50	10	11	200
6805060	5	8	60	10	11	200
6805070	5	8	70	10	11	200
6805080	5	8	80	10	11	200
6106010	6	10	10	12	6	200
6106012	6	10	12	12	8	200
6106015	6	10	15	12	10	200
6106018	6	10	18	12	12	200
6106020	6	10	20	12	12	200
6106025	6	10	25	12	12	200
6106030	6	10	30	12	12	200
6106040	6	10	40	12	12	200
6106050	6	10	50	12	12	200
6106060	6	10	60	12	12	200
6106070	6	10	70	12	12	100
6106080	6	10	80	12	12	100

Abstandsbolzen, Innen/Innen, Werkstoff: 1.4305



Artikel Nr.	Gewinde M	SW	L	C	VE
7502505	2,5	5	5	5	200
7502508	2,5	5	8	8	200
7502510	2,5	5	10	10	200
7502512	2,5	5	12	12	200
7502515	2,5	5	15	7	200
7502518	2,5	5	18	7	200
7502520	2,5	5	20	7	200
7502525	2,5	5	25	7	200
7502530	2,5	5	30	7	200
7553005	3	5,5	5	5	200
7553006	3	5,5	6	6	200
7553008	3	5,5	8	8	200
7553009	3	5,5	9	9	200
7553010	3	5,5	10	10	200
7553012	3	5,5	12	12	200
7553014	3	5,5	14	14	200
7553015	3	5,5	15	15	200
7553016	3	5,5	16	7	200
7553018	3	5,5	18	7	200
7553020	3	5,5	20	7	200
7553025	3	5,5	25	7	200
7553030	3	5,5	30	7	200
7553035	3	5,5	35	7	200
7553040	3	5,5	40	7	200
7553045	3	5,5	45	7	200
7553050	3	5,5	50	7	200
7553055	3	5,5	55	7	200
7553060	3	5,5	60	7	200

7704008	4	7	8	8	200
7704010	4	7	10	10	200
7704012	4	7	12	12	200
7704015	4	7	15	15	200
7704018	4	7	18	9	200
7704020	4	7	20	9	200
7704025	4	7	25	9	200
7704030	4	7	30	9	200
7704035	4	7	35	9	200
7704040	4	7	40	9	200
7704045	4	7	45	9	200
7704050	4	7	50	9	200
7704055	4	7	55	9	200
7704060	4	7	60	9	200
7704070	4	7	70	9	200
7805010	5	8	10	10	200
7805012	5	8	12	12	200
7805015	5	8	15	15	200
7805018	5	8	18	18	200
7805020	5	8	20	20	200
7805025	5	8	25	11	200
7805030	5	8	30	11	200
7805035	5	8	35	11	200
7805040	5	8	40	11	200
7805050	5	8	50	11	200
7805060	5	8	60	11	200
7805070	5	8	70	11	200
7805080	5	8	80	11	200
7106010	6	10	10	10	200
7106012	6	10	12	12	200
7106015	6	10	15	15	200
7106018	6	10	18	18	200
7106020	6	10	20	20	200
7106025	6	10	25	12	200
7106030	6	10	30	12	200
7106040	6	10	40	12	200
7106050	6	10	50	12	200
7106060	6	10	60	12	200
7106070	6	10	70	12	100
7106080	6	10	80	12	100